



Johannes Gutenberg
Born 1394-99 died 1467-1468

Erlguten

Joe Armstrong
joe@sics.se

Erlguten

Erlguten is a system for high-quality typesetting

Goal: Better than TeX

Erlguten is work in progress

Erlguten was written by

Joe Armstrong

Michael Karlsson

Sean Hinde

Motivation

TeX does not like absolute positioning

WYSIWYG isn't

Most systems get kerning wrong

No systems do advanced kerning and layout

Gutenberg was right

Digital typography has made things worse not better



Too tight

Too tight



Too loose

Too loose

This is what open office did - it's wrong the bounding boxes are disjoint




About right

Motivation

The thesis bug

[51] Håkan



These are different a's
Times Roman and Baskerville

281

- [42] Bogumil Hausman. Turbo erlang: Approaching the speed of c. In *Evan Tick and Giancarlo Succi, editors, Implementations of Logic Programming Systems, pages 119–135. Kluwer Academic Publishers, 1994.*
- [43] American National Standards Institute, Institute of Electrical, and Electronic Engineers. IEEE standard for binary floating-point arithmetic. *ANSI/IEEE Standard, Std 754-1985, New York, 1985.*
- [44] ISO/IEC. Osi networking and system aspects - abstract syntax notation one (asn.1). ITU-T Rec. X.680 – ISO/IEC 8824-11, ISO/IEC, 1997.
- [45] ITU. Recommendation Z.100 – specification and description language (sd1). ITU-T Z.100, International Telecommunication Union, 1994.
- [46] D. Reed J. Oikarinen. RFC 1459: Internet relay chat protocol. May 1993.
- [47] Erik Johansson, Sven-Olof Nyström, Mikael Pettersson, and Konstantinos Sagonas. Hipe: High performance erlang.
- [48] D. Richard Kuhn. Sources of failure in the public switched telephone network. *IEEE Computer*, 30(4):31–36, 1997.
- [49] Simon Marlow and Philip Wadler. A practical subtyping system for Erlang. In *International Conference on Functional Programming*, pages 136–149. ACM, June 1997.
- [50] B. Martin and B. Jano (Eds). Wap binary xml content format, june 1999. <http://www.w3.org/tp/wbxml>. 1999.
- [51] Håkan Millroth. Private communication. 2003.
- [52] J. Myers and M. P. Rose. Post office protocol - version 3. RFC 1939, Internet Engineering Task Force, May 1996.
- [53] Nortel Networks. Alteon ssl accelerator product brief. September 2002.

Goals

Easy to use - simple textual input

Multi-mode inputs (suited for technical reports, magazine layout and presentations)

Very high quality layout engine (better than TeX, in-design, quark etc.)

Technical


Pure Erlang

Uses only the in-built PDF fonts

Implement "microtypographic techniques in the HZ program"
(margin kerning, optical alignment of margins, kerning and
tracking adjustments to text)

pdf.erl (mikael)

```
colortest1(PDF,N,[[]])->
    [];
colortest1(PDF,N,[H|T])->
    pdf:set_fill_color(PDF,H),
    pdf:rectangle(PDF,{0,20},{20,20}),
    pdf:path(PDF,fill_stroke),
    pdf:set_fill_color(PDF,black),
    pdf:begin_text(PDF),
    pdf:set_font(PDF,"Times-Roman",8),
    pdf:set_text_pos(PDF,0,(N rem 2)*10),
    pdf:text(PDF,atom_to_list(H)),
    pdf:end_text(PDF),
    pdf:translate(PDF,30,0),
    colortest1(PDF,N+1,T).
```



DOCBOOK Light (Sean)

```
<section1>
  <title>Erlguten</title>
  <para>Erlang based applications
  ...
  <code>
app_name/src/
    /priv

<list>
  <item>
    <code>src</code> contains
```

1 Erlguten

Erlang based applications have a structure defined by Erlang from an Ericsson supplied runtime system and set of standard applications supplied by Ericsson (including as a result by T-Mobile or 3rd parties. Regardless of the origin of all systems.

All code for each individual OTP Application is structured according to the OTP directory structure:

```
app_name/src/
    /priv/
    /doc/
    /ebin/
    /vsn.mk
```

- `src` contains all Erlang source code files (also `Emakefile.src` files)

ML9 (Joe)

Simple data structures

```
<tag1 name="joe" date="2004-10-11">  
  <list>  
    <item>  
      <code>src</code> contains  
      ...  
    </item>  
    ...  
  </list>  
</tag1>
```

```
@tag1 {name={"joe", "armstrong"},  
       date={2004, 10, 11}}
```

```
* 'src' contains
```

Complex Data structures

ML9

```
@autoexec {mod="handler"}
@erlang
-module(foo) .
...
@doc {keywords=[code,doc]}
This is 'very nice' because:
* it's 'easy' to learn
* easy to type
@java
import java.applet.*;
public class Foo extends Applet {
    private boo=0;
@makefile name="Makfile"
.SUFFIXES .erl.beam
...
```

← Run handler on this file

← Erlang text

← Wiki text

← Java

Magazine production (Joe)

```
@autoexec {mod="pdf"}
@include "magazine"
@heading This page tests
justification routines
@leftBox
This is normal text with no
emphasised code.
...
@image "bikes.jpg"
```



```
@grid {page=a4,dx=20,dy=20}
@box {name="heading",x=1,y=1,
color="yellow",face="TimeRoman",
pointSize=24,justification=left}
@image {x=2,y=3}
```

82
80
775
750
725
700
675
650
625
600
575

25 5 50 275 300 325

This page tests justification routines

T amn exan

This is row box set in Times-Roman for printing le row newspaper c tually looks pr set in wide m is set narrow a really catastroph Times-Roman

This is normal text, with no emphasised code, the next example will be more complicated. This example is just simple text. In the next example I will show some text with emphasis.

Status

It works but ...

Unstable (I keep re-writing it)

Taking a lot longer than I expected

(Knuth "paragraph justification is really difficult") (most programs get it wrong!)

Fun

Needs integrating with ex11